

[FILE NAME : Z:\17025 HERCULES PARCELS Q-R\6 DRAWING\6.40 CAD\1-SITE\170254 BLOCK Q-R TNDWG] [TAB : 34X22 BLDG SECTIONS - TITLE BLOCK] [October 18 - Wednesday 2017 - 6:14pm] [Plotted by : TNGUYEN] [Pen Setting : { Unknown }]
[XREF FILE NAME : -HBEX_TWBODY; -HBEXSITE; -HBEXTOP; -HBEXUTIL; -HERCULES_MURPOINTLAYOUT; -JMPPPLAN; -JMPPRUTIL; -UNIT 1A; -UNIT 1B; -UNIT 1E; -UNIT 1R A; -UNIT 1R B; -UNIT 2A; -UNIT 2B; -UNIT 2C; -UNIT 2C MOD 1; -UNIT 2D; -UNIT 2F; -UNIT 3A; -W3422PER; -W3422PERLOG]



PROJECT OPEN SPACE	SQUARE FOOTAGE
WEST PODIUM LANDSCAPE (ON STRUCTURE)	8,500 SQ. FT.
EAST PODIUM LANDSCAPE (ON STRUCTURE)	12,700 SQ. FT.
PODIUM LANDSCAPE COMBINED	21,200 SQ. FT.
PERIMETER LANDSCAPE (OFF STRUCTURE: EVA + BUILDING SORT)	33,700 SQ. FT.


HERCULES PARCELS Q & R

HERCULES, CA

LANDSCAPE SITE PLAN

BARS705

02.08.2018



LANDSCAPE
L0.00

1. VERIFY LOCATION OF ALL BUILDINGS, WALLS, ROADS AND CURBS AFFECTING LANDSCAPE SCOPE OF WORK WITH ARCHITECTURAL AND CIVIL ENGINEER'S DRAWINGS.

3. TAKE ALL DIMENSIONS FROM BACK OF CURB, WALL OR BUILDING OR TO CENTERLINE OF COLUMNS OR TREES UNLESS OTHERWISE NOTED. ALL MEASUREMENTS TO DESIGNATED CENTERLINE(S).

5. ALL DIMENSIONS TAKEN TO CENTERLINE OF BUILDING COLUMN SHALL MEAN THE FIRST ROW OF COLUMNS CLOSEST TO THE FACE OF THE BUILDING. SEE ARCHITECT'S DRAWINGS FOR CORRESPONDING COLUMN LINES.

7. HOLD TOPS OF WALLS AND FENCES LEVEL UNLESS NOTED OTHERWISE.

9. DIMENSIONS TAKE PRECEDENCE OVER SCALES SHOWN ON DRAWINGS.

11. DO NOT INSTALL ANY WORK ON STRUCTURE PRIOR TO REVIEW OF WATERPROOFING BY ARCHITECT.





















13. ALL CONCRETE SLABS AND RAMP OR STEP FOOTINGS SHALL BE DOWELED INTO ABUTTING WALLS, FOUNDATIONS AND FOOTINGS USING BARS OF THE SAME SIZE AND SPACING UNLESS NOTED OTHERWISE.
SEE JOINTING DETAILS.

1. FOR EXISTING TOPOGRAPHY INCLUDING GRADES, UTILITIES, PROPERTY LINES, LIMITS OF ROADWAYS, CURBS AND GUTTERS, EXISTING TREES, ETC., REFER TO THE CIVIL DRAWINGS.

3. HOLD FINISHED GRADES FOR SHRUB AND GROUND COVER AREAS 1 1/2 INCH BELOW TOP OF ADJACENT PAVEMENT, CURBS, OR HEADERS UNLESS OTHERWISE NOTED ON THE DRAWINGS.

5. GENERAL CONTRACTOR TO COORDINATE SIZE AND LOCATION OF SLAB PENETRATIONS FOR DRAINAGE STRUCTURES WITH MECHANICAL CONTRACTOR.

BC	BOTTOM OF CURB
BFO	BOTTOM OF FENCE
BIO	BIO-RETENTION BASIN
BLDG	BUILDING
BOC	TOP OF BACK OF CURB
BR	BOTTOM OF RAMP
BS	BOTTOM OF STEP
BW	BOTTOM OF WALL
CB	CATCH BASIN INVERT ELEVATION
CBC	CALIFORNIA BUILDING CODE
CJ	CONTROL JOINT
CL	CENTER LINE
CONC	CONCRETE
DIA	DIAMETER
(E)	(EXISTING)
EQ	EQUAL
EJ	EXPANSION JOINT
FFE	FINISH FLOOR ELEVATION
FG	FINISH GRADE
FS	FINISH SURFACE
HDR	HEADER
HP	HIGH POINT

MATERIAL SCHEDULE		MATERIAL DESCRIPTION
		CAST IN PLACE CONCRETE PAVING, INTEGRAL COLOR SAND BLAST FINISH, SAW-CUT JOINTS
		CONCRETE PAVERS AT PODIUM COURTYARD
		PERMEABLE CONCRETE, DARK GREY
		VEHICULAR CONCRETE UNIT PAVERS, DARK GREY,
		WOOD DECKING PAVING; FSC CERTIFIED RED CEDAR, 2X8 BOARDS
		EXISTING CONCRETE
		CAST IN PLACE CONCRETE STAIR, TO MATCH PAVING TYPE 1
		CAST IN PLACE CONCRETE SEATWALL TO MATCH P1
		CAST IN PLACE CONCRETE RETAINING WALL
		WOOD SEATING ELEMENT, RETAINING WHERE NEEDED
		FENCING AT PODIUM PATIOS
		HANDRAIL
		WATER FEATURE
		STEEL HEADER
		TREE TRUCKS, SEE PLANTING PLANS
		PLANTING AREA


[FILE NAME : Z:\17025 HERCULES PARCELS Q+R\6 DRAWING\6.40 CAD\1-SITE\170824_BLOCK Q+R_TNDWG] [TAB : 34X22 BLDG SECTIONS + TITLE BLOCK] [October 18 - Wednesday 2017 - 6:14pm] [Plotted by : TNGUYEN] [Pen Setting : { Unknown }]
[XREF FILE NAME : :HBCX_TWBODY;:HBCX_SITE;:HBCX_TOPO;:HBCX_UTIL;HERCULES_MUIRPOINT_LAYOUT;:JMPPRPLAN;:JMPPRUTIL;UNIT 1A;UNIT 1B;UNIT 1E;UNIT 1R A;UNIT 1R B;UNIT 2A;UNIT 2B;UNIT 2C;UNIT 2C MOD 1;UNIT 2D;UNIT 2F;UNIT 3A;W9422PER;W9422PERLOG]

HERCULES PARCELS Q & R

HERCULES, CA

BARS705

02.08.2018



LANDSCAPE
L2.00

PLANTING NOTES

1. PROVIDE MATCHING SIZES AND FORMS FOR EACH SPECIES OF TREE INSTALLED ON GRID OR SPACED EQUALLY IN ROWS AS SHOWN ON DRAWINGS. ALIGN TREES ACROSS WALKS. ADJUST SPACING AS NECESSARY, SUBJECT TO REVIEW BY THE LANDSCAPE ARCHITECT.
2. PROVIDE MATCHING SIZES AND FORMS FOR ALL HEDGE PLANTINGS. SPACE EQUALLY (TRIANGULARLY) AS SHOWN.
3. INSTALL ALL TREES A MINIMUM OF THREE (3) FEET FROM BACK OF CURB, EDGE OF WALL OR PAVING.
4. FORM 3 INCH WATERING BASIN AROUND ALL TREES NOT INSTALLED PAVED AREAS. FILL BASIN WITH 2 INCH LAYER OF GRAVEL MULCH.
5. EACH LOCATION OF ALL TREES SHALL BE APPROVED BY LANDSCAPE ARCHITECT PRIOR TO FINAL INSTALLATION.
6. EXACT PLACEMENT OF HEADERS WILL BE REVIEWED BY LANDSCAPE ARCHITECT PRIOR TO FINAL INSTALLATION.
7. PROVIDE AN ALLOWANCE OF 5 PERCENT OF THE TOTAL LINEAL FOOTAGE OF HEADER TO BE FURNISHED AND INSTALLED DURING PROGRESS OF WORK AS MAY BE DIRECTED BY THE LANDSCAPE ARCHITECT, IN ADDITION TO ALL HEADERS INDICATED ON DRAWINGS.
8. PLANT NAMES ARE ABBREVIATED ON THE DRAWINGS. SEE PLANT LEGEND FOR KEY AND CLASSIFICATION.
9. ALL PLANTING AREAS TO RECEIVE TWO (2) INCH THICK LAYER OF GRAVEL MULCH, SEE SPECIFICATIONS.
10. DO NOT PLANT GROUND COVERS, HEDGES, OR FLOWERING PLANTS WITHIN 3'-0" OF ANY EXISTING AND/OR PROPOSED HYDRANTS, FIV, FDC, DODA, ETC.
11. DO NOT PLANT TREES WITHIN 5'-0" OF EXISTING AND/OR PROPOSED UTILITY ITEMS.
12. DO NOT PLANT TREES WITHIN 10'-0" OF ANY SANITARY SEWER LINES

- P L

L I M I T O F W O R K

E V A
- BLOCK Q+R
PROPERTY LINES

LIMIT OF WORK
BOUNDARY

EVA

TREE PLANTING LEGEND

SYMBOL	BOTANICAL NAME	COMMON NAME	SIZE
	ULMUS PARVIFOLIA	CHINESE ELM	24" BOX
	JACARANDA MIMOSIFOLIA	JACARANDA TREE	36" BOX
	QUERCUS KELLOGGII	CALIFORNIA BLACK OAK	36" BOX
	LYONOTHAMNUS FLORIBUNDUS	CATALINA IRONWOOD	24" BOX
	LAURUS NOBILIS	BAY LAUREL	15 GAL
	LAGERSTROEMIA SPP.	CREPE MYRTLE	24" BOX
	OLEA EUROPAEA	FIELD GROWN OLIVE	

- EXISTING STREET TREES
ON JOHN MUIR PARKWAY

BRISBANE BOX TREE

UNDERSTORY PLANTING AREAS

SYMBOL	PLANT TYPES
PA-1	PERIMETER PLANTING AREAS: SEASONAL GRASSES AND NATIVE SHRUB PLANTINGS
PA-2	GARDEN COURTYARD PLANTINGS: PERENNIALS AND SHRUBS WITH SEASONAL COLOR
PA-3	LAWN AREAS: NO-MOW NATIVE GRASSES, DROUGHT TOLERANT

[FILE NAME : Z:\17025 HERCULES PARCELS Q+R6 DRAWING\6.40 CAD\1-SITE\170824_BLOCK Q+R_TNDWG] [TAB : 34X22 BLDG SECTIONS + TITLE BLOCK] [October 18 - Wednesday 2017 - 6:14pm] [Plotted by : TNGUYEN] [Pen Setting : { Unknown }] [XREF FILE NAME : -HBCX_TWBODY;-HBCX_SITE;-HBCX_TOPO;-HBCX_UTIL;-HERCULES_MURPOINT_LAYOUT;-JMPPRPLAN;-JMPPRUTIL;-UNIT 1A;-UNIT 1B;-UNIT 1E;-UNIT 1J+R A;-UNIT 1J+R B;-UNIT 2A;-UNIT 2B;-UNIT 2C;-UNIT 2C MOD 1;-UNIT 2D;-UNIT 2F;-UNIT 3A;-W9422PER-W9422PERLGG]

HERCULES PARCELS Q & R

HERCULES, CA

IRRIGATION NOTES

1. THESE IRRIGATION DRAWINGS ARE DIAGRAMMATIC AND INDICATIVE OF THE WORK TO BE INSTALLED. THESE DRAWINGS DESCRIBE A IRRIGATION INTENT. FINAL IRRIGATION PLANS AND DETAILS TO BE SUBMITTED TO LANDSCAPE ARCHITECT FOR REVIEW.

2. THE INTENT OF THIS IRRIGATION SYSTEM IS TO PROVIDE THE MINIMUM AMOUNT OF WATER REQUIRED TO SUSTAIN GOOD PLANT HEALTH.

3. IRRIGATION DESIGN TO COMPLY WITH LOCAL BUILDING DEPARTMENT AND SFPUC REQUIREMENTS.

4. ALL PIPING, VALVES, AND OTHER IRRIGATION COMPONENTS DRAWING ARE DIAGRAMMATIC, PROVIDING AN IRRIGATION APPROACH.

5. IT IS THE RESPONSIBILITY OF THE MAINTENANCE CONTRACTOR AND/OR OWNER TO PROGRAM THE IRRIGATION CONTROLLER(S) TO PROVIDE THE MINIMUM AMOUNT OF WATER NEEDED TO SUSTAIN GOOD PLANT HEALTH. THIS INCLUDES MAKING ADJUSTMENTS TO THE PROGRAM FOR SEASONAL WEATHER CHANGES, PLANT MATERIAL, WATER REQUIREMENTS, MOUNDS, SLOPES, SUN, SHADE AND WIND EXPOSURE.

6. IT IS THE RESPONSIBILITY OF A LICENSED ELECTRICAL CONTRACTOR TO PROVIDE 120 VOLT A.C. (2.5 AMP DEMAND PER CONTROLLER) ELECTRICAL SERVICE TO THE CONTROLLER LOCATION(S). IT IS THE RESPONSIBILITY OF THE IRRIGATION CONTRACTOR TO COORDINATE THE ELECTRICAL SERVICE STUB-OUT TO THE CONTROLLER(S). PROVIDE PROPER GROUNDING PER CONTROLLER MANUFACTURER'S INSTRUCTIONS AND IN ACCORDANCE WITH LOCAL CODES.

7. PROVIDE EACH CONTROLLER WITH ITS OWN GROUND ROD. SEPARATE THE GROUND RODS BY A MINIMUM OF EIGHT FEET. THE GROUND ROD SHALL BE AN EIGHT FOOT LONG BY 5/8" DIAMETER U.L. APPROVED COPPER CLAD ROD. INSTALL NO MORE THAN 6" OF THE GROUND ROD ABOVE FINISH GRADE. CONNECT #6 GAUGE WIRE WITH A U.L. APPROVED GROUND ROD CLAMP TO ROD AND BACK TO GROUND SCREW AT BASE OF CONTROLLER WITH APPROPRIATE CONNECTOR. MAKE THIS WIRE AS SHORT AS POSSIBLE, AVOIDING KINKS OR BENDING.

8. PROVIDE EACH IRRIGATION CONTROLLER WITH ITS OWN INDEPENDENT LOW VOLTAGE COMMON GROUND WIRE.
9. INSTALL NEW BATTERIES IN THE IRRIGATION CONTROLLER(S) TO RETAIN PROGRAM IN MEMORY DURING TEMPORARY POWER FAILURES. USE QUANTITY, TYPE AND SIZE REQUIRED AS PER CONTROLLER MANUFACTURER'S INSTRUCTIONS.

10. SCHEDULE A MEETING WHICH INCLUDES REPRESENTATIVES OF THE IRRIGATION CONTROLLER MANUFACTURER, THE MAINTENANCE CONTRACTOR, THE OWNER AND THE IRRIGATION CONTRACTOR AT THE SITE FOR INSTRUCTION ON THE PROPER PROGRAMMING AND OPERATION OF THE IRRIGATION CONTROLLER.

11. INSTALL 2-WIRE CABLE ALONG THE MAIN LINE. CONTACT CONTROLLER REPRESENTATIVE FOR A PRE-CONSTRUCTION MEETING.

12. INSTALL BLACK PLASTIC VALVE BOXES WITH BOLT DOWN, NON HINGED COVER MARKED "IRRIGATION". BOX BODY SHALL HAVE KNOCK OUTS. ACCEPTABLE VALVE BOX MANUFACTURER'S INCLUDE NDS, CARSON OR APPROVED EQUAL.

13. INSTALL REMOTE CONTROL VALVE BOXES 12" FROM WALK, CURB, BUILDING OR LANDSCAPE FEATURE. AT MULTIPLE VALVE BOX GROUPS, INSTALL EACH BOX AN EQUAL DISTANCE FROM THE WALK, CURB, BUILDING OR LANDSCAPE FEATURE AND PROVIDE 12" BETWEEN BOX TOPS. ALIGN THE SHORT SIDE OF RECTANGULAR VALVE BOXES PARALLEL TO WALK, CURB, BUILDING OR LANDSCAPE FEATURE.

14. VALVE LOCATIONS SHOWN ARE DIAGRAMMATIC. INSTALL IN GROUND COVER/SHRUB AREAS (NOT IN LAWN AREA).

15. INSTALL A GATE VALVE TO ISOLATE EACH REMOTE CONTROL VALVE OR GROUP OF RCV'S LOCATED TOGETHER. GATE VALVE SIZE SHALL BE SAME AS THE LARGEST REMOTE CONTROL VALVE IN MANIFOLD.

16. FOR 2 1/2" AND LARGER MAIN LINE PIPING INSIDE SLEEVES USE 1120-315 PSI PVC PLASTIC PIPE WITH SCHEDULE 40 PVC COUPLINGS. DO NOT INSTALL GASKETED COUPLINGS INSIDE SLEEVES

17. SPRAY NOZZLES LISTED ON PLANS AND LEGEND MAY NOT INDICATE ALL THE NOZZLES THAT MAY BE NECESSARY TO PROVIDE THE BEST UNIFORMITY AND THE LEAST AMOUNT OF OVERSPRAY. CONTRACTOR TO MAKE FIELD ADJUSTMENTS BASED ON SITE CONDITIONS AND CHOOSE THE BEST ARC TORO PRECISION NOZZLE (60°, 90°, 120°, 150°, 180°, 210°, 240°, 270°, 360°) TO MEET THOSE CONDITIONS.
18. SET SPRINKLER HEADS PERPENDICULAR TO FINISH GRADE.

19. LOCATE BUBBLERS ON UPHILL SIDE OF PLANT OR TREE.

20. WHERE IT IS NECESSARY TO EXCAVATE ADJACENT TO EXISTING TREES, USE CAUTION TO AVOID INJURY TO TREES AND TREE ROOTS. EXCAVATE BY HAND IN AREAS WHERE TWO (2) INCH AND LARGER ROOTS OCCUR. BACK FILL TRENCHES ADJACENT TO TREE WITHIN TWENTY-FOUR (24) HOURS. WHERE THIS IS NOT POSSIBLE, SHADE THE SIDE OF THE TRENCH ADJACENT TO THE TREE WITH WET BURLAP OR CANVAS.

21. NOTIFY LOCAL JURISDICTIONS FOR INSPECTION AND TESTING OF INSTALLED BACKFLOW PREVENTION DEVICE.

22. THE SPRINKLER SYSTEM DESIGN SHOW BE BASED ON THE MINIMUM OPERATING PRESSURE SHOWN ON THE IRRIGATION DRAWINGS. VERIFY WATER PRESSURE PRIOR TO CONSTRUCTION. REPORT ANY DIFFERENCE BETWEEN THE WATER PRESSURE INDICATED ON THE DRAWINGS AND THE ACTUAL PRESSURE READING AT THE IRRIGATION POINT OF CONNECTION TO THE OWNER'S AUTHORIZED REPRESENTATIVE.

23. IRRIGATION CONVERATE: REFER TO PLANS.

24. THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR MINOR CHANGES IN THE IRRIGATION LAYOUT DUE TO OBSTRUCTIONS NOT SHOWN ON THE IRRIGATION DRAWNGS SUCH AS LIGHTS, FIRE HYDRANTS, SIGNS, ELECTRICAL ENCLOSURES, ETC.

25. THE LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR CHANGES IN THE IRRIGATION LAYOUT AND VALVE ZONING DUE TO VARIATIONS IN THE EXISTING SITE CONDITIONS SUCH AS EXPOSURE FROM BUILDINGS, TRELLISES, TREES, ETC., AS WELL AS SLOPE AND SOIL CONDITIONS. THE CONTRACTOR SHALL NOTIFY THE LANDSCAPE ARCHITECT AND IRRIGATION CONSULTANT OF THE PROPOSED CHANGES PRIOR TO INSTALLATION FOR APPROVAL.

26. THE LANDSCAPE CONTRACTOR IS RESPONSIBLE FOR ADJUSTING THE IRRIGATION SYSTEM DESIGN IF THE PLANTING DESIGN CHANGES FROM THE ORIGINAL PLAN AND NEEDS TO ADAPT TO THE NEW PLANTING DESIGN. THE LANDSCAPE CONTRACTOR NEEDS TO NOTIFY THE LANDSCAPE ARCHITECT AND IRRIGATION CONSULTANT OF PROPOSED CHANGES PRIOR TO INSTALLATION FOR APPROVAL.


IRRIGATION LEGEND		
GRAPHIC	DESCRIPTION	DETAIL
	SPRAY ZONE LOW WATER USE	
	DRIP ZONE LOW WATER USE	
	MAIN LINE	
	HDPE SLEEVE	
	SYSTEM POINT OF CONNECTION BACKFLOW ASSEMBLY AND 2" HYDROMETER	
	IRRIGATION CONTROLLER BASELINE 200 STATION TWO-WIRE CONTROLLER IN WALL-MOUNTED METAL ENCLOSURE W/ INTERNET.	

*TEMPORARY IRRIGATION ZONES ARE DEFINED IN THE CONTEXT OF THIS PROJECT AS IRRIGATION FOR PLANT ESTABLISHMENT AND INSTANCES OF EXTREME NEED ONLY.
**EXTREME NEED IN THE CONTEXT OF THIS PROJECT IS DEFINED AS INSTANCES OF IRRIGATION FOR PURPOSES OF FIRE SUPPRESSION AND EXTREME DROUGHT ONLY.

IRRIGATION LEGEND AND NOTES


BARS705

02.08.2018



LIGHTING AND FENCING LEGEND

[FILE NAME : Z:\17025 HERCULES PARCELS Q&R DRAWING\6.40 CAD\1-SITE\170254 BLOCK Q-R TNDWG] [TAB : 34X22 BLDG SECTIONS + TITLE BLOCK] [October 18 - Wednesday 2017 - 6:14pm] [Plotted by : TNGUYEN] [Pen Setting : { Unknown }]
[XREF FILE NAME : -HBCX_TWBODY : -HBCXSTIE : -HBCXTOPO : -HBCXUTIL : -HERCULES_MUIRPOINTLAYOUT : -JMPPRPLAN : -JMPPRUTIL : UNIT 1A : UNIT 1B : UNIT 1E : UNIT 1R A : UNIT 1R B : UNIT 2A : UNIT 2B : UNIT 2C : UNIT 2C MOD 1 : UNIT 2D : UNIT 2F : UNIT 3A : W3422PER : W3422PERLOG]




HERCULES PARCELS Q & R

HERCULES, CA

LIGHTING PLAN-STREET LEVEL

BARS705

02.08.2018



LANDSCAPE
L3.01

HERCULES PARCELS Q & R

HERCULES, CA

GATE AND FENCING PLAN

HERCULES, CA

LIGHTING PLAN LEVEL 2

HERCULES, CA

LIGHTING PLAN LEVEL 1


[FILE NAME : Z:\17025 HERCULES PARCELS Q&R6 DRAWING\6.40 CAD\1-SITE\170254_BLOCK Q-R_TNDWG] [TAB : 34X22 BLDG SECTIONS + TITLE BLOCK] [October 18 - Wednesday 2017 - 6:14pm] [Plotted by : TNGUYEN] [Pen Setting : [Unknown]]
[XREF FILE NAME : -HBEX_TWBODY ; -HBEXSITE ; -HBEXTOPO ; -HBEXUTL ; -HERCULES_MURPOINTELAYOUT ; -JMPPRPLAN ; -JMPPRUTL ; UNIT 1A ; UNIT 1B ; UNIT 1E ; UNIT 1R A ; UNIT 1R B ; UNIT 1R C ; UNIT 1R D ; UNIT 1R E ; UNIT 1R F ; UNIT 1R G ; UNIT 1R H ; UNIT 1R I ; UNIT 1R J ; UNIT 1R K ; UNIT 1R L ; UNIT 1R M ; UNIT 1R N ; UNIT 1R O ; UNIT 1R P ; UNIT 1R Q ; UNIT 1R R ; UNIT 1R S ; UNIT 1R T ; UNIT 1R U ; UNIT 1R V ; UNIT 1R W ; UNIT 1R X ; UNIT 1R Y ; UNIT 1R Z ; UNIT 1R AA ; UNIT 1R AB ; UNIT 1R AC ; UNIT 1R AD ; UNIT 1R AE ; UNIT 1R AF ; UNIT 1R AG ; UNIT 1R AH ; UNIT 1R AI ; UNIT 1R AJ ; UNIT 1R AK ; UNIT 1R AL ; UNIT 1R AM ; UNIT 1R AN ; UNIT 1R AO ; UNIT 1R AP ; UNIT 1R AQ ; UNIT 1R AR ; UNIT 1R AS ; UNIT 1R AT ; UNIT 1R AU ; UNIT 1R AV ; UNIT 1R AW ; UNIT 1R AX ; UNIT 1R AY ; UNIT 1R AZ ; UNIT 1R BA ; UNIT 1R BB ; UNIT 1R BC ; UNIT 1R BD ; UNIT 1R BE ; UNIT 1R BF ; UNIT 1R BG ; UNIT 1R BH ; UNIT 1R BI ; UNIT 1R BJ ; UNIT 1R BK ; UNIT 1R BL ; UNIT 1R BM ; UNIT 1R BN ; UNIT 1R BO ; UNIT 1R BP ; UNIT 1R BQ ; UNIT 1R BR ; UNIT 1R BS ; UNIT 1R BT ; UNIT 1R BU ; UNIT 1R BV ; UNIT 1R BW ; UNIT 1R BX ; UNIT 1R BY ; UNIT 1R BZ ; UNIT 1R CA ; UNIT 1R CB ; UNIT 1R CC ; UNIT 1R CD ; UNIT 1R CE ; UNIT 1R CF ; UNIT 1R CG ; UNIT 1R CH ; UNIT 1R CI ; UNIT 1R CJ ; UNIT 1R CK ; UNIT 1R CL ; UNIT 1R CM ; UNIT 1R CN ; UNIT 1R CO ; UNIT 1R CP ; UNIT 1R CQ ; UNIT 1R CR ; UNIT 1R CS ; UNIT 1R CT ; UNIT 1R CU ; UNIT 1R CV ; UNIT 1R CW ; UNIT 1R CX ; UNIT 1R CY ; UNIT 1R CZ ; UNIT 1R DA ; UNIT 1R DB ; UNIT 1R DC ; UNIT 1R DD ; UNIT 1R DE ; UNIT 1R DF ; UNIT 1R DG ; UNIT 1R DH ; UNIT 1R DI ; UNIT 1R DJ ; UNIT 1R DK ; UNIT 1R DL ; UNIT 1R DM ; UNIT 1R DN ; UNIT 1R DO ; UNIT 1R DP ; UNIT 1R DQ ; UNIT 1R DR ; UNIT 1R DS ; UNIT 1R DT ; UNIT 1R DU ; UNIT 1R DV ; UNIT 1R DW ; UNIT 1R DX ; UNIT 1R DY ; UNIT 1R DZ ; UNIT 1R EA ; UNIT 1R EB ; UNIT 1R EC ; UNIT 1R ED ; UNIT 1R EE ; UNIT 1R EF ; UNIT 1R EG ; UNIT 1R EH ; UNIT 1R EI ; UNIT 1R EJ ; UNIT 1R EK ; UNIT 1R EL ; UNIT 1R EM ; UNIT 1R EN ; UNIT 1R EO ; UNIT 1R EP ; UNIT 1R EQ ; UNIT 1R ER ; UNIT 1R ES ; UNIT 1R ET ; UNIT 1R EU ; UNIT 1R EV ; UNIT 1R EW ; UNIT 1R EX ; UNIT 1R EY ; UNIT 1R EZ ; UNIT 1R FA ; UNIT 1R FB ; UNIT 1R FC ; UNIT 1R FD ; UNIT 1R FE ; UNIT 1R FF ; UNIT 1R FG ; UNIT 1R FH ; UNIT 1R FI ; UNIT 1R FJ ; UNIT 1R FK ; UNIT 1R FL ; UNIT 1R FM ; UNIT 1R FN ; UNIT 1R FO ; UNIT 1R FP ; UNIT 1R FQ ; UNIT 1R FR ; UNIT 1R FS ; UNIT 1R FT ; UNIT 1R FU ; UNIT 1R FV ; UNIT 1R FW ; UNIT 1R FX ; UNIT 1R FY ; UNIT 1R FZ ; UNIT 1R GA ; UNIT 1R GB ; UNIT 1R GC ; UNIT 1R GD ; UNIT 1R GE ; UNIT 1R GF ; UNIT 1R GG ; UNIT 1R GH ; UNIT 1R GI ; UNIT 1R GJ ; UNIT 1R GK ; UNIT 1R GL ; UNIT 1R GM ; UNIT 1R GN ; UNIT 1R GO ; UNIT 1R GP ; UNIT 1R GQ ; UNIT 1R GR ; UNIT 1R GS ; UNIT 1R GT ; UNIT 1R GU ; UNIT 1R GV ; UNIT 1R GW ; UNIT 1R GX ; UNIT 1R GY ; UNIT 1R GZ ; UNIT 1R HA ; UNIT 1R HB ; UNIT 1R HC ; UNIT 1R HD ; UNIT 1R HE ; UNIT 1R HF ; UNIT 1R HG ; UNIT 1R HH ; UNIT 1R HI ; UNIT 1R HJ ; UNIT 1R HK ; UNIT 1R HL ; UNIT 1R HM ; UNIT 1R HN ; UNIT 1R HO ; UNIT 1R HP ; UNIT 1R HQ ; UNIT 1R HR ; UNIT 1R HS ; UNIT 1R HT ; UNIT 1R HU ; UNIT 1R HV ; UNIT 1R HW ; UNIT 1R HX ; UNIT 1R HY ; UNIT 1R HZ ; UNIT 1R IA ; UNIT 1R IB ; UNIT 1R IC ; UNIT 1R ID ; UNIT 1R IE ; UNIT 1R IF ; UNIT 1R IG ; UNIT 1R IH ; UNIT 1R II ; UNIT 1R IJ ; UNIT 1R IK ; UNIT 1R IL ; UNIT 1R IM ; UNIT 1R IN ; UNIT 1R IO ; UNIT 1R IP ; UNIT 1R IQ ; UNIT 1R IR ; UNIT 1R IS ; UNIT 1R IT ; UNIT 1R IU ; UNIT 1R IV ; UNIT 1R IW ; UNIT 1R IX ; UNIT 1R IY ; UNIT 1R IZ ; UNIT 1R JA ; UNIT 1R JB ; UNIT 1R JC ; UNIT 1R JD ; UNIT 1R JE ; UNIT 1R JF ; UNIT 1R JG ; UNIT 1R JH ; UNIT 1R JI ; UNIT 1R JJ ; UNIT 1R JK ; UNIT 1R JL ; UNIT 1R JM ; UNIT 1R JN ; UNIT 1R JO ; UNIT 1R JP ; UNIT 1R JQ ; UNIT 1R JR ; UNIT 1R JS ; UNIT 1R JT ; UNIT 1R JU ; UNIT 1R JV ; UNIT 1R JW ; UNIT 1R JX ; UNIT 1R JY ; UNIT 1R JZ ; UNIT 1R KA ; UNIT 1R KB ; UNIT 1R KC ; UNIT 1R KD ; UNIT 1R KE ; UNIT 1R KF ; UNIT 1R KG ; UNIT 1R KH ; UNIT 1R KI ; UNIT 1R KJ ; UNIT 1R KK ; UNIT 1R KL ; UNIT 1R KM ; UNIT 1R KN ; UNIT 1R KO ; UNIT 1R KP ; UNIT 1R KQ ; UNIT 1R KR ; UNIT 1R KS ; UNIT 1R KT ; UNIT 1R KU ; UNIT 1R KV ; UNIT 1R KW ; UNIT 1R KX ; UNIT 1R KY ; UNIT 1R KZ ; UNIT 1R LA ; UNIT 1R LB ; UNIT 1R LC ; UNIT 1R LD ; UNIT 1R LE ; UNIT 1R LF ; UNIT 1R LG ; UNIT 1R LH ; UNIT 1R LI ; UNIT 1R LJ ; UNIT 1R LK ; UNIT 1R LL ; UNIT 1R LM ; UNIT 1R LN ; UNIT 1R LO ; UNIT 1R LP ; UNIT 1R LQ ; UNIT 1R LR ; UNIT 1R LS ; UNIT 1R LT ; UNIT 1R LU ; UNIT 1R LV ; UNIT 1R LW ; UNIT 1R LX ; UNIT 1R LY ; UNIT 1R LZ ; UNIT 1R MA ; UNIT 1R MB ; UNIT 1R MC ; UNIT 1R MD ; UNIT 1R ME ; UNIT 1R MF ; UNIT 1R MG ; UNIT 1R MH ; UNIT 1R MI ; UNIT 1R MJ ; UNIT 1R MK ; UNIT 1R ML ; UNIT 1R MM ; UNIT 1R MN ; UNIT 1R MO ; UNIT 1R MP ; UNIT 1R MQ ; UNIT 1R MR ; UNIT 1R MS ; UNIT 1R MT ; UNIT 1R MU ; UNIT 1R MV ; UNIT 1R MW ; UNIT 1R MX ; UNIT 1R MY ; UNIT 1R MZ ; UNIT 1R NA ; UNIT 1R NB ; UNIT 1R NC ; UNIT 1R ND ; UNIT 1R NE ; UNIT 1R NF ; UNIT 1R NG ; UNIT 1R NH ; UNIT 1R NI ; UNIT 1R NJ ; UNIT 1R NK ; UNIT 1R NL ; UNIT 1R NM ; UNIT 1R NO ; UNIT 1R NP ; UNIT 1R NQ ; UNIT 1R NR ; UNIT 1R NS ; UNIT 1R NT ; UNIT 1R NU ; UNIT 1R NV ; UNIT 1R NW ; UNIT 1R NX ; UNIT 1R NY ; UNIT 1R NZ ; UNIT 1R OA ; UNIT 1R OB ; UNIT 1R OC ; UNIT 1R OD ; UNIT 1R OE ; UNIT 1R OF ; UNIT 1R OG ; UNIT 1R OH ; UNIT 1R OI ; UNIT 1R OJ ; UNIT 1R OK ; UNIT 1R OL ; UNIT 1R OM ; UNIT 1R ON ; UNIT 1R OO ; UNIT 1R OP ; UNIT 1R OQ ; UNIT 1R OR ; UNIT 1R OS ; UNIT 1R OT ; UNIT 1R OU ; UNIT 1R OV ; UNIT 1R OW ; UNIT 1R OX ; UNIT 1R OY ; UNIT 1R OZ ; UNIT 1R PA ; UNIT 1R PB ; UNIT 1R PC ; UNIT 1R PD ; UNIT 1R PE ; UNIT 1R PF ; UNIT 1R PG ; UNIT 1R PH ; UNIT 1R PI ; UNIT 1R PJ ; UNIT 1R PK ; UNIT 1R PL ; UNIT 1R PM ; UNIT 1R PN ; UNIT 1R PO ; UNIT 1R PP ; UNIT 1R PQ ; UNIT 1R PR ; UNIT 1R PS ; UNIT 1R PT ; UNIT 1R PU ; UNIT 1R PV ; UNIT 1R PW ; UNIT 1R PX ; UNIT 1R PY ; UNIT 1R PZ ; UNIT 1R QA ; UNIT 1R QB ; UNIT 1R QC ; UNIT 1R QD ; UNIT 1R QE ; UNIT 1R QF ; UNIT 1R QG ; UNIT 1R QH ; UNIT 1R QI ; UNIT 1R QJ ; UNIT 1R QK ; UNIT 1R QL ; UNIT 1R QM ; UNIT 1R QN ; UNIT 1R QO ; UNIT 1R QP ; UNIT 1R QQ ; UNIT 1R QR ; UNIT 1R QS ; UNIT 1R QT ; UNIT 1R QU ; UNIT 1R QV ; UNIT 1R QW ; UNIT 1R QX ; UNIT 1R QY ; UNIT 1R QZ ; UNIT 1R RA ; UNIT 1R RB ; UNIT 1R RC ; UNIT 1R RD ; UNIT 1R RE ; UNIT 1R RF ; UNIT 1R RG ; UNIT 1R RH ; UNIT 1R RI ; UNIT 1R RJ ; UNIT 1R RK ; UNIT 1R RL ; UNIT 1R RM ; UNIT 1R RN ; UNIT 1R RO ; UNIT 1R RP ; UNIT 1R RQ ; UNIT 1R RR ; UNIT 1R RS ; UNIT 1R RT ; UNIT 1R RU ; UNIT 1R RV ; UNIT 1R RW ; UNIT 1R RX ; UNIT 1R RY ; UNIT 1R RZ ; UNIT 1R SA ; UNIT 1R SB ; UNIT 1R SC ; UNIT 1R SD ; UNIT 1R SE ; UNIT 1R SF ; UNIT 1R SG ; UNIT 1R SH ; UNIT 1R SI ; UNIT 1R SJ ; UNIT 1R SK ; UNIT 1R SL ; UNIT 1R SM ; UNIT 1R SN ; UNIT 1R SO ; UNIT 1R SP ; UNIT 1R SQ ; UNIT 1R SR ; UNIT 1R SS ; UNIT 1R ST ; UNIT 1R SU ; UNIT 1R SV ; UNIT 1R SW ; UNIT 1R SX ; UNIT 1R SY ; UNIT 1R SZ ; UNIT 1R TA ; UNIT 1R TB ; UNIT 1R TC ; UNIT 1R TD ; UNIT 1R TE ; UNIT 1R TF ; UNIT 1R TG ; UNIT 1R TH ; UNIT 1R TI ; UNIT 1R TJ ; UNIT 1R TK ; UNIT 1R TL ; UNIT 1R TM ; UNIT 1R TN ; UNIT 1R TO ; UNIT 1R TP ; UNIT 1R TQ ; UNIT 1R TR ; UNIT 1R TS ; UNIT 1R TU ; UNIT 1R TV ; UNIT 1R TW ; UNIT 1R TX ; UNIT 1R TY ; UNIT 1R TZ ; UNIT 1R UA ; UNIT 1R UB ; UNIT 1R UC ; UNIT 1R UD ; UNIT 1R UE ; UNIT 1R UF ; UNIT 1R UG ; UNIT 1R UH ; UNIT 1R UI ; UNIT 1R UJ ; UNIT 1R UK ; UNIT 1R UL ; UNIT 1R UM ; UNIT 1R UN ; UNIT 1R UO ; UNIT 1R UP ; UNIT 1R UQ ; UNIT 1R UR ; UNIT 1R US ; UNIT 1R UT ; UNIT 1R UV ; UNIT 1R UW ; UNIT 1R UX ; UNIT 1R UY ; UNIT 1R UZ ; UNIT 1R VA ; UNIT 1R VB ; UNIT 1R VC ; UNIT 1R VD ; UNIT 1R VE ; UNIT 1R VF ; UNIT 1R VG ; UNIT 1R VH ; UNIT 1R VI ; UNIT 1R VJ ; UNIT 1R VK ; UNIT 1R VL ; UNIT 1R VM ; UNIT 1R VN ; UNIT 1R VO ; UNIT 1R VP ; UNIT 1R VQ ; UNIT 1R VR ; UNIT 1R VS ; UNIT 1R VT ; UNIT 1R VU ; UNIT 1R VV ; UNIT 1R VW ; UNIT 1R VX ; UNIT 1R VY ; UNIT 1R VZ ; UNIT 1R WA ; UNIT 1R WB ; UNIT 1R WC ; UNIT 1R WD ; UNIT 1R WE ; UNIT 1R WF ; UNIT 1R WG ; UNIT 1R WH ; UNIT 1R WI ; UNIT 1R WJ ; UNIT 1R WK ; UNIT 1R WL ; UNIT 1R WM ; UNIT 1R WN ; UNIT 1R WO ; UNIT 1R WP ; UNIT 1R WQ ; UNIT 1R WR ; UNIT 1R WS ; UNIT 1R WT ; UNIT 1R WU ; UNIT 1R WV ; UNIT 1R WW ; UNIT 1R WX ; UNIT 1R WY ; UNIT 1R WZ ; UNIT 1R XA ; UNIT 1R XB ; UNIT 1R XC ; UNIT 1R XD ; UNIT 1R XE ; UNIT 1R XF ; UNIT 1R XG ; UNIT 1R XH ; UNIT 1R XI ; UNIT 1R XJ ; UNIT 1R XK ; UNIT 1R XL ; UNIT 1R XM ; UNIT 1R XN ; UNIT 1R XO ; UNIT 1R XP ; UNIT 1R XQ ; UNIT 1R XR ; UNIT 1R XS ; UNIT 1R XT ; UNIT 1R XU ; UNIT 1R XV ; UNIT 1R XW ; UNIT 1R XX ; UNIT 1R XY ; UNIT 1R XZ ; UNIT 1R YA ; UNIT 1R YB ; UNIT 1R YC ; UNIT 1R YD ; UNIT 1R YE ; UNIT 1R YF ; UNIT 1R YG ; UNIT 1R YH ; UNIT 1R YI ; UNIT 1R YJ ; UNIT 1R YK ; UNIT 1R YL ; UNIT 1R YM ; UNIT 1R YN ; UNIT 1R YO ; UNIT 1R YP ; UNIT 1R YQ ; UNIT 1R YR ; UNIT 1R YS ; UNIT 1R YT ; UNIT 1R YU ; UNIT 1R YV ; UNIT 1R YW ; UNIT 1R YX ; UNIT 1R YY ; UNIT 1R YZ ; UNIT 1R ZA ; UNIT 1R ZB ; UNIT 1R ZC ; UNIT 1R ZD ; UNIT 1R ZE ; UNIT 1R ZF ; UNIT 1R ZG ; UNIT 1R ZH ; UNIT 1R ZI ; UNIT 1R ZJ ; UNIT 1R ZK ; UNIT 1R ZL ; UNIT 1R ZM ; UNIT 1R ZN ; UNIT 1R ZO ; UNIT 1R ZP ; UNIT 1R ZQ ; UNIT 1R ZR ; UNIT 1R ZS ; UNIT 1R ZT ; UNIT 1R ZU ; UNIT 1R ZV ; UNIT 1R ZW ; UNIT 1R ZX ; UNIT 1R ZY ; UNIT 1R ZZ]



G. LOUNGE SEATING



H. FIREPIT



I. OUTDOOR GAME AREA




J. PEDESTRIAN STREET



K. STREETSCAPE



L. INDOOR/OUTDOOR LIVING SPACE




M. PUBLIC ART



N. CONCRETE SEATWALLS



O. RELAXATION AREA




P. WATER FEATURES



Q. SHADE STRUCTURE



R. OUTDOOR KITCHEN/BBQ




S. SEATING



T. WOOD CLAD SEATWALLS

02 LANDSCAPE AMENITIES



U. CAST IN PLACE CONCRETE PAVING



V. CONCRETE PAVERS AT COURTYARD



W. GRAVEL PAVE CELLULAR PAVING AT EVA



X. WOOD DECKING



Y. CONCRETE PAVERS AT STREETSCAPE



Z. OYSTER SHELL PAVING



AA. ASPHALT TRAIL

01 HARDSCAPE MATERIALS

HERCULES PARCELS Q & R

HERCULES, CA


SITE FURNISHINGS

BARS705


02.08.2018

0 10' 20' 40' 80'


LANDSCAPE
L4.00



02 LOWER PODIUM – SECTION 2
1/4" = 1'-0"



01 LOWER PODIUM - SECTION 1 A
1/4" = 1'-0"






01 LOWER PODIUM – SECTION 1 B
1/4" = 1'-0"




HERCULES PARCELS Q & R

HERCULES, CA


LOWER PODIUM SECTIONS



UPPER PODIUM SECTIONS



[FILE NAME: Z:\17025 HERCULES PARCELS Q&R DRAWING\6.40 CAD\1-SITE\170254 BLOCK Q&R TNDWG\1] [TAB: 34X22 BLDG SECTIONS - TITLE BLOCK] [October 18 - Wednesday 2017 - 6:14pm] [Plotted by: TNGUYEN] [Pen Setting: (Unknown)]
[XREF FILE NAME: -HBEX_TWBODY: -HBEXSITE: -HBEXTOP: -HBEXUTL: -HERCULES_MURPOINTELAYOUT: -JMPPPLAN: -JMPPRUTL: UNIT 1A: UNIT 1B: UNIT 1E: UNIT 1R A: UNIT 1R B: UNIT 2A: UNIT 2B: UNIT 2C: UNIT 2C MOD: UNIT 2D: UNIT 2F: UNIT 3A: W3422PER: W3422PERLOG]




HERCULES PARCELS Q & R

HERCULES, CA

ENLARGEMENT PLAN-LOWER PODIUM

[FILE NAME: Z:\17025 HERCULES PARCELS Q&R\6 DRAWING\6.40 CAD\1-SITE\170254_BLOCK Q-R_TNDWG] [TAB: 34X22 BLDG SECTIONS - TITLE BLOCK] [October 18 - Wednesday 2017 - 6:14pm] [Plotted by: TNGUYEN] [Pen Setting: (Unknown)]
[XREF FILE NAME: -HBCX_TWBODY: -HBCX_SITE: -HBCX_TOPO: -HBCX_UTIL: -HERCULES_MURPOINT_LAYOUT: -JMPPRPLAN: -JMPPRUTIL: UNIT 1A: UNIT 1B: UNIT 1E: UNIT 1R A: UNIT 1R B: UNIT 2A: UNIT 2B: UNIT 2C: UNIT 2C MOD 1: UNIT 2D: UNIT 2F: UNIT 2G: UNIT 3A: W3422PER: W3422PERLOG]



HERCULES PARCELS Q & R

HERCULES, CA

ENLARGEMENT PLAN-UPPER PODIUM